

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUN 19 2003

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUN 19 2003

The applicant **El Diablo, LTD.** hereby make application for permission to change the Point of Diversion and Place of use of a portion of water heretofore appropriated under Permit #17880 Cert. #5469

1. The source of water is **Underground**
2. The amount of water to be changed **25 AFA, 5 AC., 1930 CFS**
3. The water to be used for **Irrigation and Domestic**
4. The water heretofore permitted for **Irrigation and Domestic**
5. The water is to be diverted at the following point in the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 14, T.20S., R.52E., M.D.M., Nye County, Nevada at a point from which the N $\frac{1}{4}$ corner of said Section 14 bears N 5° 23' 22" W a distance of 1621.59 feet.
6. The existing permitted point of diversion is located within in the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 6, T.20S., R.53E., M.D.M., Nye County, Nevada at a point from which the SE corner of said Section 6 bears S 23° 30' E a distance of 1003.20 feet.
7. Proposed place of use being the East 5 ac's of the N $\frac{1}{2}$ of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section - 14, T.20S., R.52E., M.D.M., Nye County, Nevada (consisting of 5.12 ac's)
8. Existing place of use being a portion of the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section - 6, T.20S., R.53E., M.D.M. Nye County, Nevada - 5 ac's to be removed per attached "strip" map and shown as Item # 2 in summary and detail'd map
9. Use will be from Jan. 1st to Dec. 31st of each year.
10. Use was permitted from Jan. 1st to Dec. 31st of each year.
11. Description of proposed works **Underground well, submersable pump, meter, distribution system and pressure tank**
12. Estimated cost of works **\$8,000**
13. Estimated time required to construct works **2 - years**
14. Estimated time required to complete the application of water to beneficial use **5 years**

15. Remarks:

By **Ronnie M. Phillips**
s/Ronnie M. Phillips
1191 W. Betty Ave.
Pahrump, Nevada 89060

Compared sg/cmf ag/ CMF

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 17880, Certificate 5469 is issued subject to the terms and conditions imposed in said Permit 17880, Certificate 5469 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

Permit 70134 is granted to provide water for the irrigation of 5.0 acres within the described place of use.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1930 cubic feet per second, but not to exceed 25.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

April 19, 2005

Proof of completion of work shall be filed on or before:

May 19, 2005

Water must be placed to beneficial use on or before:

April 19, 2007

Proof of the application of water to beneficial use shall be filed on or before:

May 19, 2007

Map in support of proof of beneficial use shall be filed on or before:

May 19, 2007

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 19th day of April, A.D. 2004


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____



